G4POS

PRODUCT CATALOGUE
OCTOBER 2026 EDITION

PRODUCT CATALOGUE · QUÉBEC, CANADA

Wholesale point-of-sale hardware for Canadian resellers

All-in-one terminals, rugged tablets, receipt printers, barcode scanners, cards and LRS pagers, kept in stock in Québec.



POS systems | Tablets | Printers | Barcode and card readers | Handheld terminals | Loyalty and gift cards | Wireless paging

Customers: mainly point-of-sale resellers, integrators and consultants

Tel. 1-888-653-8131 **Email** vente@g4pos.com **Web** g4pos.com

ABOUT

Your point-of-sale hardware wholesaler

G4POS is a Canadian point-of-sale hardware wholesaler, founded in Québec in 2016. We sell mainly to resellers, integrators and consultants. Your clients remain yours.

G4POS does not sell point-of-sale software. You choose your client's.

Stock in Québec
Hardware is kept in stock in Québec and ships from Québec.

Bilingual support
Technical support in French and English, Mon–Fri 9am–4pm (ET).

Training
We train your teams on the catalogue products.

Wholesale pricing
Wholesale prices are reserved for reseller accounts.

Contents

01 POS systems

JG8000 3
JG7000 4
G4POS BG220 5

02 Tablets

DG820 6
DG870GB 7

03 Printers

MG80 8
G4POS RT1500 9
80 mm thermal paper 10

04 Barcode and card readers

JCG980 11
SC310 12
RCU1A 13

05 Handheld terminals

G4POS RTP6A 14

06 Loyalty and gift cards

Loyalty cards 15
Gift cards 16

07 Wireless paging

LRS staff paging 17
LRS guest paging 18
LRS call buttons 19

Become a reseller 20



POS SYSTEMS

JG8000

All-in-one point-of-sale terminal with a 15-inch touchscreen, offered as the server station.

Model JG8000

The JG8000 is a Windows-compatible all-in-one point-of-sale terminal: 15-inch touchscreen, Intel Core i5-8265U, 8 GB and 256 GB NVMe.

KEY FEATURES

- 15-inch touchscreen, 10 touch points
- Intel Core i5-8265U processor
- 8 GB of DDR4 memory, 256 GB of NVMe storage
- Windows-compatible
- 2 RS-232 serial ports and 6 USB ports
- Offered as the server station

SPECIFICATIONS

HARDWARE

Type	All-in-one POS computer
Display	15 in, touch (10-point)
Processor	Intel Core i5-8265U
Memory	8 GB (DDR4)
Storage	256 GB (NVMe)
Compatibility	Windows-compatible

CONNECTIVITY

Ports	2 RS-232 serial ports (DB9), 6 USB ports (2 USB 2.0 and 4 USB 3.0), 1 HDMI port, 1 RJ45 network port (Gigabit), 1 audio output

USE

Typical use	Server station
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/jg8000

Revised October 27, 2026



POS SYSTEMS

JG7000

All-in-one point-of-sale computer with a 15-inch touchscreen and a built-in 10.1-inch customer display.

Model JG7000

The JG7000 is an all-in-one Windows compatible point-of-sale computer: 15-inch touchscreen, 10.1-inch customer display, Intel Celeron J6412.

KEY FEATURES

- 15-inch touchscreen, 10 touch points
- Built-in 10.1-inch customer display
- Quad-core Intel Celeron J6412 processor
- 8 GB of DDR4 memory, 256 GB NVMe SSD
- Windows compatible
- 2 RS-232 serial ports and 6 USB ports

SPECIFICATIONS

HARDWARE

Type	All-in-one POS computer
Display	15 in, touch (10-point)
Customer display	10.1 in, built-in
Processor	Intel Celeron J6412 (quad-core)
Memory	8 GB (DDR4)
Storage	256 GB NVMe SSD
Compatibility	Windows compatible

CONNECTIVITY

Ports	2 RS-232 serial ports (DB9), 6 USB ports (2 USB 2.0 and 4 USB 3.0), 1 HDMI port, 1 RJ45 network port (Gigabit), 1 audio output

USE

Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/jg7000

Revised October 27, 2026



POS SYSTEMS

G4POS BG220

21.5-inch Android 13 kitchen display (KDS) that shows orders in the kitchen.

Model G4POS BG220

The G4POS BG220 is a 21.5-inch Android 13 kitchen display (KDS) with a quad-core processor, 4 GB of memory and 64 GB of storage.

KEY FEATURES

- 21.5-inch screen
- Quad-core processor
- 4 GB of memory, 64 GB of storage
- Android 13
- Wi-Fi, wired network and USB
- Ports grouped on one cable for easier installation in the kitchen

SPECIFICATIONS

HARDWARE

Type	Kitchen display (KDS)
Display	21.5 in
Processor	Quad-core
Memory	4 GB
Storage	64 GB
Operating system	Android 13

CONNECTIVITY

Wireless	Wi-Fi
Ports	Network (RJ45), USB and power jack, grouped on a breakout cable

USE

Typical use	Showing orders in the kitchen
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/bg220

Revised October 27, 2026



TABLETS

DG820

Rugged 8-inch point-of-sale tablet, offered with its charging station.

Model DG820

The DG820 is a rugged 8-inch Windows-compatible tablet with an Intel Atom x5-Z8350 processor and an IP67 housing. It comes with its charging station.

KEY FEATURES

- 8-inch IPS touchscreen
- Intel Atom x5-Z8350 processor
- 4 GB of memory, 64 GB of storage
- IP67 housing
- Windows compatible
- Charging station included

SPECIFICATIONS

HARDWARE

Type	Rugged POS tablet
Display	8 in IPS, 1280 × 800, capacitive touch
Performance tier	Intermediate
Processor	Intel Atom x5-Z8350 (Cherry Trail), up to 1.92 GHz
Memory	4 GB
Storage	64 GB
Compatibility	Windows-compatible
Charging station	Included

CONNECTIVITY

Wireless	Dual-band Wi-Fi
Ports	USB 3.0, USB-C (charging)

DURABILITY

Ingress protection	IP67
Weight	680 g
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/dg820

Revised October 27, 2026



TABLETS

DG870GB

Rugged 8-inch Windows-compatible tablet with an optional 2D barcode reader.

Model DG870GB

The DG870GB is a rugged 8-inch Windows-compatible tablet with an Intel Celeron N5100 processor and an IP65 housing. It comes with its charging station.

KEY FEATURES

- Intel Celeron N5100 processor
- IP65 housing, withstands 1.22 m drops
- Windows-compatible
- Wi-Fi, Bluetooth and 4G LTE
- Optional 2D barcode reader
- Charging station included

SPECIFICATIONS

HARDWARE

Type	Rugged POS tablet
Display	8 in, 800 × 1280, capacitive touch (10-point)
Screen brightness	700 cd/m²
Performance tier	Advanced
Processor	Intel Celeron N5100 (Jasper Lake), up to 2.8 GHz
Memory	8 GB
Storage	128 GB
Compatibility	Windows-compatible
Battery	Removable, 5,000 mAh
Barcode reader	2D, optional
Charging station	Included

CONNECTIVITY

Wireless	Dual-band Wi-Fi 802.11 a/b/g/n/ac, Bluetooth 4.2
Cellular	4G LTE
Location	GPS
Ports	USB 3.0, USB-C (data and charging), mini HDMI, 3.5 mm audio jack, microSD (up to 512 GB), nano-SIM, 12-pin pogo connector

DURABILITY

Ingress protection	IP65
Drop resistance	1.22 m (MIL-STD-810G)
Operating temperature	-20 °C to 60 °C



PRINTERS

MG80

80 mm thermal receipt printer with serial, USB and Ethernet ports.

Model MG80

The MG80 prints receipts on 80 mm thermal paper at 260 mm/s. It connects over serial, USB or Ethernet and accepts ESC/POS commands.

KEY FEATURES

- 80 mm thermal paper
- 260 mm/s print speed
- Serial, USB and Ethernet ports
- ESC/POS (Epson) compatible
- Cash drawer output

SPECIFICATIONS

PRINTING

Technology	Thermal
Paper width	80 mm
Print speed	260 mm/s
Paper cutter	Automatic

CONNECTIVITY

Interfaces	Serial (RS-232), USB, Ethernet
Emulation	ESC/POS (Epson)
Cash drawer	24 V DC output, 1 A
Power	24 V DC, 2.5 A
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/mg80

Revised October 27, 2026



PRINTERS

G4POS RT1500

4-inch direct thermal label printer with USB and Ethernet ports.

Model G4POS RT1500

The G4POS RT1500 prints labels and barcodes up to 108 mm wide at 152 mm/s. It connects over USB or Ethernet.

KEY FEATURES

- Direct thermal printing, no ribbon
- Print width up to 108 mm (4.25 in)
- Up to 152 mm/s (6 ips), 203 dpi
- USB and Ethernet ports
- TSPL, ZPL, EPL and DPL emulations
- 1D and 2D barcodes, including QR and Data Matrix

SPECIFICATIONS

PRINTING

Type	Desktop label and barcode printer
Technology	Direct thermal
Resolution	203 dpi
Print width	108 mm (4.25 in) maximum
Print speed	Up to 152 mm/s (6 ips)
Memory	8 MB RAM, 8 MB flash
Sensors	Fixed gap and black mark sensors; head-open sensor
Emulations	TSPL, ZPL, EPL, DPL
1D codes	Code 39, Code 93, Code 128 (A, B, C), GS1-128, Codabar, Interleaved 2 of 5, EAN-8, EAN-13, UPC-A, UPC-E, MSI, Plessey, POSTNET, GS1 DataBar, Code 11
2D codes	QR, Data Matrix, PDF417, MaxiCode, Aztec

MEDIA

Media width	25.4 to 116 mm (1 to 4.56 in)
Label length	10 to 1,778 mm
Roll	Outer diameter up to 127 mm (5 in), 25.4 mm (1 in) core
Thickness	0.06 to 0.254 mm
Media types	Continuous, gap, black mark, fan-fold, perforated

CONNECTIVITY

Interfaces	USB, Ethernet (LAN)
Drivers	Windows, macOS, Linux, Android, Chrome OS
Power	24 V DC, 2.5 A

PHYSICAL CHARACTERISTICS

Dimensions (D × W × H)	219 × 190 × 148 mm
Weight	1.4 kg
Operating temperature	5 to 40 °C, 25 to 85% humidity, non-condensing
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131



PRINTERS

80 mm thermal paper

80 mm thermal paper for receipt printers, in 200 ft rolls.

This 80 mm thermal paper for receipt printers comes in 200 ft rolls, sold in packs of 50 rolls.

KEY FEATURES

- 80 mm wide
- 200 ft rolls (about 61 m)
- Pack of 50 rolls

SPECIFICATIONS

Type	Thermal paper for receipt printers
Width	80 mm
Roll length	200 ft (about 61 m)
Packaging	Pack of 50 rolls

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/papier-thermique-80mm

Revised October 24, 2026



BARCODE AND CARD READERS

JCG980

Wireless 1D and 2D barcode scanner with a base that also connects over a USB cable.

Model JCG980

The JCG980 is a wireless 1D and 2D barcode scanner with a base. It connects through a 2.4 GHz USB dongle, over Bluetooth or with a USB cable.

KEY FEATURES

- Reads 1D and 2D codes
- Wireless through a 2.4 GHz USB dongle or Bluetooth
- Wired mode and charging over a USB cable
- Inventory mode: stores scanned codes in memory

SPECIFICATIONS

SCANNING

Type	Wireless barcode scanner with a base
Codes read	1D and 2D
Inventory mode	Stores scanned codes and uploads them on demand

CONNECTIVITY

Wireless	2.4 GHz USB dongle (paired before delivery), Bluetooth
Wired	USB cable, with automatic switch to wired mode and charging
Interface	Keyboard (HID), virtual COM port, Bluetooth HID or SPP
Devices	Computer, terminal, phone or tablet, one device at a time
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/jcg980

Revised October 27, 2026



BARCODE AND CARD READERS

SC310

1D and 2D barcode scanner for the counter.

Model SC310

The SC310 is a countertop scanner on a stand that reads 1D and 2D codes, including QR codes. It connects over USB to Windows, macOS, Linux and Android.

KEY FEATURES

- Reads 1D and 2D codes, including QR and PDF417
- USB connection (HID keyboard or virtual COM port)
- Manual, continuous or auto-sense scanning
- IP52 rating

SPECIFICATIONS

SCANNING

Type	Countertop barcode scanner on a stand
Sensor	CMOS
1D codes	UPC-A, UPC-E, EAN-13, EAN-8, Code 128, GS1-128, Code 39, Code 93, Codabar, Interleaved 2 of 5, MSI, Code 11
2D codes	QR, Micro QR, Data Matrix, PDF417
Scan modes	Manual, continuous, auto-sense
Ingress protection	IP52

CONNECTIVITY

Interface	USB (HID keyboard, virtual COM port, HID-POS), TTL-232
Compatible systems	Windows, macOS, Linux, Android
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/sc310

Revised October 27, 2026



BARCODE AND CARD READERS

RCU1A

13.56 MHz USB RFID card reader that types the card number like a keyboard.

Model RCU1A

The RCU1A reads 13.56 MHz RFID cards (ISO 14443A, Mifare, NTAG) and sends their number as a USB keyboard, with no driver to install.

KEY FEATURES

- 13.56 MHz RFID cards: ISO 14443A, Mifare S50 and S70, NTAG
- USB keyboard emulation, no driver needed
- Attached USB cable
- Beep and indicator light
- Works with Windows, Linux and Android (OTG)

SPECIFICATIONS

READING

Type	USB RFID card reader
Frequency	13.56 MHz
Supported cards	ISO 14443A: Mifare S50, Mifare S70, NTAG
Feedback	Beep and indicator light

CONNECTIVITY

Interface	USB, keyboard emulation (HID), driverless
Cable	USB, attached
Compatible systems	Windows, Linux, Android (OTG)
Warranty	Manufacturer warranty (1 year)

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/rcu1a

Revised October 27, 2026



HANDHELD TERMINALS

G4POS RTP6A

Android handheld terminal with a 1D and 2D barcode scanner, built for inventory and receiving.

Model G4POS RTP6A

The G4POS RTP6A is an Android 14 handheld with a 1D and 2D scanner, a removable 5,000 mAh battery and dual-band Wi-Fi, for inventory and receiving.

KEY FEATURES

- 1D and 2D barcode scanner
- Removable 5,000 mAh battery, about 15 hours of use
- Withstands 36 drops from 1.5 m without screen breakage
- Android 14 with Google services
- 6-inch IPS HD display, Dragontrail glass
- Dual-band Wi-Fi and Bluetooth 5.0

SPECIFICATIONS

HARDWARE

Type	Android handheld data collection terminal
Operating system	Android 14 with Google Mobile Services (GMS)
Processor	Qualcomm 6225, octa-core, 2.8 GHz
Memory	4 GB
Storage	64 GB, microSD card up to 256 GB
Display	6 in IPS HD, capacitive touch, Dragontrail glass
Camera	13 MP rear, autofocus and flash
Drop resistance	36 drops from 1.5 m without screen breakage, PC+GF housing, shock-absorbing corners

SCANNING AND CONNECTIVITY

Barcode reader	1D and 2D, about 13 ms on average
Wireless	Dual-band Wi-Fi 802.11 a/b/g/n/ac, Bluetooth 5.0 (BLE), NFC
Location	GPS, GLONASS, Galileo, BeiDou
Ports	USB-C (OTG)

POWER

Battery	5,000 mAh, removable, about 15 h of use, 0 to 90% charge in under 3 h
Power	5 V, 2.4 A

USE

Typical use	Inventory counts, receiving and order taking, in warehouses or stores
Warranty	Manufacturer warranty (1 year)

Accessories sold separately: Docking station · Rubber case · Hand strap · Shoulder strap

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: **www.g4pos.com/en/produits/modeles/rtp6a**

Revised October 27, 2026



LOYALTY AND GIFT CARDS

Loyalty cards

PVC loyalty cards that identify the customer at the point of sale, with a magnetic stripe and a barcode.

A loyalty card identifies the customer in the merchant's rewards program. It carries a HiCo magnetic stripe and a barcode.

KEY FEATURES

- Identifies the customer in the rewards program
- Encoded HiCo magnetic stripe
- Barcode and unique serial number
- Colour printing on both sides
- Individually bagged
- Barcode and encoding chosen by the client

SPECIFICATIONS

CARD

Type	Loyalty card
Use	Rewards program: the card identifies the customer, the software keeps the point balance
Material	PVC
Encoding	Encoded HiCo magnetic stripe and barcode
Magnetic stripe	Encoding chosen by the client, most often on tracks 1, 2 and 3
Barcode	Symbology chosen by the client: Code 128 (the most common), QR code, Code 39, UPC-A, UPC-E and other symbologies on request
Numbering	Unique serial number on each card
Printing	Colour, front and back
Packaging	Individually bagged

ORDERING

Minimum order	1,000 cards per order (not per design)
Artwork	Print-ready file supplied by the client, or layout by G4POS (fees apply)
Proof	To be approved before printing
Production time	3 business weeks after the proof is approved

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131



LOYALTY AND GIFT CARDS

Gift cards

Prepaid PVC gift cards printed in colour, with a magnetic stripe and a barcode.

A gift card is a prepaid instrument: the point-of-sale software keeps its balance. It carries a HiCo magnetic stripe and a barcode.

KEY FEATURES

- Prepaid instrument, balance kept by the point-of-sale software
- Encoded HiCo magnetic stripe
- Barcode and unique serial number
- Colour printing on both sides
- Individually bagged
- Barcode and encoding chosen by the client

SPECIFICATIONS

CARD

Type	Gift card
Use	Prepaid instrument: the point-of-sale software or the card platform keeps the balance
Material	PVC
Encoding	Encoded HiCo magnetic stripe and barcode
Magnetic stripe	Encoding chosen by the client, most often on tracks 1, 2 and 3
Barcode	Symbology chosen by the client: Code 128 (the most common), QR code, Code 39, UPC-A, UPC-E and other symbologies on request
Numbering	Unique serial number on each card
Printing	Colour, front and back
Packaging	Individually bagged

ORDERING

Minimum order	1,000 cards per order (not per design)
Artwork	Print-ready file supplied by the client, or layout by G4POS (fees apply)
Proof	To be approved before printing
Production time	3 business weeks after the proof is approved

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131



WIRELESS PAGING

LRS staff paging

Pagers that alert staff as soon as an order or a table is ready.

Manufacturer Long Range Systems

The LRS system alerts staff by vibration or text message. The pagers recharge on a charging station.

KEY FEATURES

- Vibration or text alerts
- Station charging
- Up to 3 days per charge (RX-SP6)

SPECIFICATIONS

Type	Staff paging
Alert	Vibration, text or both
Power	Charging station
Warranty	LRS warranty: 2 years on transmitters, 1 year on pagers and trackers, 30 days on accessories

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/lrs-staff

Revised October 27, 2026



WIRELESS PAGING

LRS guest paging

Pagers that let guests wait wherever they like until their turn comes.

Manufacturer Long Range Systems

LRS guest pagers (coasters) light up and vibrate to call guests back at the right time. They recharge when stacked.

KEY FEATURES

- Light and vibration alert
- Four-digit display for the call number (CS7)
- Stack charging

SPECIFICATIONS

Type	Guest pagers (coasters)
Alert	Light and vibration
Warranty	LRS warranty: 2 years on transmitters, 1 year on pagers and trackers, 30 days on accessories

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/lrs-guest

Revised October 27, 2026



WIRELESS PAGING

LRS call buttons

Wireless buttons that let guests call staff from their table.

Manufacturer Long Range Systems

When a guest presses an LRS call button, the staff pager receives the request. Pronto buttons repeat a call that goes unanswered.

KEY FEATURES

- Staff call from the table
- Automatic repage and manager alert (Pronto)
- Battery powered, no wiring (Pronto)

SPECIFICATIONS

Type	Wireless call buttons
Power	2 AA batteries or optional power supply (Pronto)
Mounting	Keyhole slots (Pronto)
Warranty	LRS warranty: 2 years on transmitters, 1 year on pagers and trackers, 30 days on accessories

To order
Wholesale pricing for reseller accounts.

vente@g4pos.com 1-888-653-8131

Full product page: www.g4pos.com/en/produits/modeles/lrs-call

Revised October 27, 2026

G4POS

RESELLER PROGRAM

Become a G4POS reseller

Reseller accounts are for businesses that resell point-of-sale hardware, including integrators and consultants. The account is free, with no commitment.

- **Wholesale pricing**
  You buy at wholesale prices. The margin you negotiate with your client stays yours.
- **Stock in Québec**
  Hardware is kept in stock in Québec and ships from Québec.
- **Training and support**
  We train your teams on the catalogue products. Our technical support team works in French and English.
- **Your choice of software**
  G4POS does not sell point-of-sale software. You choose your client's.

How to open an account

01

Application

You fill out the online form or give us a call.

02

Review

We review your application and confirm that your account is open.

03

Pricing access

You receive our wholesale pricing and can start ordering.

Open your reseller account

ONLINE FORM	www.g4pos.com/en/devenir-revendeur
PHONE	1-888-653-8131
EMAIL	vente@g4pos.com
ADDRESS	100 rue de Singapour, Saint-Augustin-de-Desmaures, Quebec G3A 0P5

Mon–Fri 9am–4pm (ET)

LRS Distributor of LRS (Long Range Systems) in Québec since 2016.